

Memorandum



EAD

99

140.6

103

747.4

Date: January 20, 1984
To: Carole Coe-Hauskins
From: Katherine Fletcher *[Signature]*
Subject: Affected Director's Review of DPP 500 P 6xa, Handling of PCBs

We have no corrections to the DPP. We do note, however, that if Materials Management is responsible for safe and legal storage of PCBs (6.6.3), it will be their responsibility to insure that Operations and Distribution provide them with adequate forewarning of the quantities of capacitors to be recalled from the system at any given time, such that our indoor storage capacity can always handle 10 percent of the stock in the yard. This notification is referred to in 6.2.3 and 6.1.3, but will not necessarily guarantee that an overload will not be received unless communications are very clearly coordinated among the three divisions.

CD:aac

cc: Macdonald
Mandapat
Sickler
Hunich
Chavez
Dyckman
EAD ✓
file

Your
Seattle
City Light

Memorandum

CIT/DS LOG/CD_h

LOG NO.	526		
DATE IN	1/9	DATE OUT	1/20
ROUTED TO:	D.	DUE TO KF BY:	

Date: January 6, 1983

To: K. Fletcher, K. Hunich, A. Mandapat, W. Sickler

From: *Carole V. Coe-Hauskins*
Carole V. Coe-Hauskins

Subject: Affected Directors' Review of DPP JAN 6 1984

DPP 500P 6xa, Handling of PCBs

The above-named Department Policy and Procedure, sponsored by the Operations Division, has completed deputy superintendent review and has been released for review by affected directors. Since your division is immediately impacted by the content, we request your assistance in its development.

Please review the draft document and return comments directly to the Policy and Procedure Coordinator, ~~Dave Chavez, Room 131, NO 131~~

If you require more time to review the document, please contact Dave at 3457 prior to the deadline to arrange an extension.

Thank you.

TDC:db

cc: Coe-Hauskins
Chavez
Peha
Flaherty
Phillips Buursma
Mar
Wolak
File